

Part Number	ROHS (Lead free)	Rate select	Data rate (Max)	Case Temperature Range (Centigrade)	Diagnostic Monitoring Interface	Reach	Optical Fast Ethernet	Optical Gigabit Eth	Fibre Channel 1Gb/s	Fibre Channel 2Gb/s	Fibre Channel 4Gb/s	Fibre Channel 8Gb/s	Fibre Channel 10Gb/s	SONET OC-3	SONET OC-12	SONET OC-48	SONET OC-192	SONET OC-768	OTN OTU3	10 Gigabit Ethernet	40 Gigabit Ethernet	100 Gigabit Ethernet	Infiniband QDR	1000Base-T	PON		
FTEN2115P1NUN	✓		1.25Gb/s	-20/70		10km																				●	
FTEN2116P1NUN	✓		1.25Gb/s	-20/70		20km																				●	
FTEN2117P1NUN	✓		1.25Gb/s	-20/70		20km																				●	
XFP																											
FTLX3612M3xx	✓		11.3Gb/s	0/70	✓	40km							●				●										
FTLX8511D3	✓		10.5Gb/s	0/70	✓	300m							●														
FTLX8511D3	✓		10.5Gb/s	0/70	✓	300m							●														
FTLX8511D3BTL	✓		10.5Gb/s	-40/85	✓	300m							●														
FTLX1412D3BCL	✓		10.5Gb/s	-5/75	✓	10km							●														
FTLX1412M3BCL	✓		11.3Gb/s	-5/75	✓	10km							●														
FTLX1412M3BTL	✓		11.3Gb/s	-40/85	✓	10km							●														
FTLX1612M3BCL	✓		11.3Gb/s	-5/75	✓	40km							●														
FTLX1612M3BTL	✓		11.3Gb/s	-40/85	✓	40km							●														
FTLX1811M3	✓		11.1Gb/s	-5/70	✓	80km							●														
FTLX3611M3xx	✓		11.1Gb/s	-5/70	✓	40km							●														
FTLX3811M3xx	✓		11.1Gb/s	-5/70	✓	80km							●														
FTLX3812M3xx	✓		11.1Gb/s	-5/70	✓	80km							●														
FTLX4213xxxxx	✓		11.3Gb/s	-5/70	✓	200km							●														
FTLX4213M3BCL			10.5Gb/s	-5/70	✓	120km							●														
FTLX1412M3BNL	✓		11.3Gb/s	-5/85	✓	10km							●														
FTLX1412D3BTL	✓		11.3Gb/s	-5/85	✓	10km							●														
FTLX4213x3xxxx	✓		10Gb/s	0/70	✓	200km							●														
FTLX3811F3xx	✓		8.5Gb/s	-5/70	✓	80km						●															
XPAK																											
FTLX8551E3	✓		10.3Gb/s	0/70	✓	300m																					
FTLX8551F3	✓		10.5Gb/s	0/70	✓	300m							●														
FTLX1451E2	✓		10.3Gb/s	0/70	✓	10km																					
FTLX1451F2	✓		10.5Gb/s	0/70	✓	10km							●														
X2																											
FTLX8541E2	✓		10.3Gb/s	5/70	✓	300m																					
FTLX8541F2	✓		10.5Gb/s	0/70	✓	300m							●														
FTLX1341E2	✓		10.3Gb/s	0/70	✓	220m																					
FTLX1442E2	✓		10.3Gb/s	0/70	✓	10km																					
XENPAK																											
FTLX8561E2	✓		10.3Gb/s	0/70	✓	300m																					
FTLX1462E2	✓		10.3Gb/s	0/70	✓	10km																					
300-PIN																											
54TRAAV2GPL		✓	44.6Gb/s	0/70	✓	2km																					
14TRAAI2MPL		✓	11.3Gb/s	-5/70	✓	40km							●														
14TRAAI2MAL		✓	11.3Gb/s	-5/70	✓	80km							●														
12TRAAU4MPLCB		✓	11.3Gb/s	-5/70	✓	80km							●														
12TRAAU4MALCB		✓	11.3Gb/s	-5/70	✓	80km							●														
16TRAAU4MALCB		✓	11.1Gb/s	-5/70	✓	80km							●														
12RZAAU4MALCB		✓	11.3Gb/s	-5/70	✓	80km							●														
12DBAAU4MALCB		✓	11.3Gb/s	-5/70	✓	160km							●														
53DPAAU4JBLCB		✓	44.6Gb/s	-5/70	✓	VLH																					



quality link connections

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : 0212 3204030 |
 Fax : 0212 3200255 | e-mail : info@telkolink.com