

CISCO878-K9	G.SHDSL Security Router
CP-BATT-7921G-EXT=	Cisco 7921 Battery, Extended
CP-PWR-CORD-CE=	7900 SERIES TRANSFORMER POWER CORD
CP-7921G-E-K9=	Cisco 7921G ETSI; Battery/Power Supply Not Include
CP-PWR-CUBE-3=	IP Phone power transformer for Şe 7900
WS-C2960G-48TC-L	Catalyst 2960 48 10/100/1000, 4 T/SFP
WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Ba
WS-C2960-48TT-L	48 10/100BASE-T Ports 2x 10/100/1000BASE
HWIC-4ESW=	Four port 10/100 Ethernet switch interfa
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
CAB-ACE=	AC Power Cord-Europe
WS-C2960-8TC-L	Catalyst 2960 8 10/100 + 1 T/SFP LAN Base Image
CP-DSKCH-7921G-BUN	Cisco 7921 Desk Top Charger ASSY, Standa
PA100-EU	Power Supply for Linksys VoIP Products - 5V/2A (Eu
AIR-ANT4941	2.4 GHz,2.2 dBi Dipole Antenna w/ RP-TNC
GLC-SX-MM=	GE SFP, LC connector SX transceiver
SPA922-EU	1-Line IP Telephone with 2-Port Switch, PoE & Disp
CISCO878-SEC-K9	Cisco 878 Security Bundle wiŞ Plus Feat
AIR-ANT2506	2.4 GHz, 5.2 dBi Mast Mount Omni Ant w/RP-TNC Conn
HWIC-3G-GSM=	3GWWAN HWIC-HSDPA/UMTS EDGE/GPRS-850/900
WS-C2960-24-S	Catalyst 2960 24 10/100 LAN Lite Image
ASA5505-BUN-K9	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DE
WRP400	Linksys WirelessG Broadband Router with 2 phone
VWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN
GLC-T=	1000BASE-T SFP
WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP Standard
WS-C3750G-24T-S	Catalyst 3750 24 10/100/1000T Standard M
WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image
LIC-CM-DL-10=	CallManager Device lc - 10 u
CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs
WVC2300-EU	Wireless G Business Internet Camera with Audio
CP-PWR-7921G-CE=	Cisco 7921G Power Supply for Central Europe
ASA5505-SEC-BUN-K9	ASA 5505 Sec Plus Appliance with SW, UL Users, HA
SRW224G4-EU	24-Port 10/100 + 4 Port Gigabit & 2 Combo SFP Swit
SRW224G4P-EU	24-port 10/100 + 4-Port Gigabit Switch WebView and
CISCO1803/K9	G.SHDSL Router with Firewall/IDS and IPSEC
CISCO1841-SHDSL-V3	1841 bundle, WIC-1SHDSL-V3, IPB, 32F/128
VWIC2-2MFT-G703=	2-Port RJ-48 Multiflex Trunk - G.703
CAB-SS-V35FC=	V35 Cable, DCE Female to Smart Serial
WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP Standard
WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP St
WS-C3750G-48TS-S	Catalyst 3750 48 10/100/1000T + 4 SFP St
AIR-AP1242G-E-K9	802.11g Integrated Auto AP; RP-TNC; ETSI Cnf
WAP200E	Linksys Wireless-G Exterior Access Point with PoE
ASA5520-BUN-K9	ASA 5520 Appliance w/ SW, 300 VPN Peers,
WS-C3560-8PC-S	Catalyst 3560 8 10/100 PoE + 1 T/SFP Standard Imag
NSS6100-EU	4 Bay Advanced Gigabit Network Storage System Chas
WIC-1ADSL=	1-port ADSL WAN Interface Card
VWIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN

SRW208-EU	8-Port 10/100 Ethernet Switch with WebView
PAP2T-EU	Phone Adapter with 2 Ports for Voice-over-IP (Euro
CAB-INF-28G-5=	5m cable for 10GBase-CX4 module
WS-C2960-48TC-S	Catalyst 2960 48 10/100 + 2 T/SFP LAN Lite Image
NSS4100-EU	4 Bay Gigabit Network Storage System Chassis With
CISCO1811/K9	Dual Ethernet Security Router wiŞ V.92
WS-C3750G-12S-S	Catalyst 3750 12 SFP Standard Multilayer
WS-C2960G-8TC-L	Catalyst 2960 7 10/100/1000 + 1 T/SFP LAN Base
ASA5510-SEC-BUN-K9	ASA 5510 Security Plus Appl with SW, HA, 2GE+3FE,
ASA5505-50-BUN-K9	ASA 5505 Appliance with SW, 50 Users, 8 ports, 3DE
SRW2024-EU	24-Port 10/100/1000 Gigabit Switch with WebView
SFE2000	24-port 10/ 100 Ethernet Switch
WS-C3750G-24TS-S1U	Catalyst 3750 24 10/100/1000 + 4 SFP Std Multilaye
WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SF
WS-C2960-24TC-L	24x 10/100 BASE-T Ports 2x 10/100/1000 B
WS-C3750-24PS-S	Catalyst 3750 24 10/100 PoE + 2 SFP Stan
WS-C3750-24TS-S	Catalyst 3750 24 10/100 + 2 SFP Standard
NSS6000-EU	4 Bay Advanced Gigabit Network Storage System Chas
CISCO2811-V/K9	2811 Router Bundle,PVDM2-16,SP Serv,64F/2
SPA9000	IP Communication System (Europe)
WS-C3560E-24TD-S	Catalyst 3560E 24 10/100/1000+2*10GE(X2),265W,IPB
WIC-1T=	1 Port Serial Wan Interface
ASA5505-UL-BUN-K9	ASA 5505 Appliance with SW, UL Users, 8 ports, 3DE
C2801-SHDSL-V3/K9	2801 bundle, WIC-1SHDSL-V3,SP Svcs, 64F/
CISCO3845	3845 w/AC PWR,2GE,1SFP,4NME,4HWIC, IP Ba
CISCO1841	Modular Router w/2xFE, 2 WAN slots, 32 F
CISCO877-K9	ADSL Security Router
CISCO877W-G-E-K9	ADSL Security Router
CAB-AC-2800W-EU=	Europe Power Cord
PWR-2811-AC=	Cisco 2811 AC power supply
PWR-3845-AC/2	Cisco3845 redundant AC power supply
CP-7941G=	Cisco IP Phone 7941,
C2801-2SHDSL/K9	2801 2-pair G.SHDSL bundle, HWIC-2SHDSL,,SP Svcs,
SRW2024P-EU	Linksys 24 port 10/100/1000 Gigabit Switch
CISCO2911/K9	Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512M
SRW2048-EU	48-Port 10/100/1000 Gigabit Switch with WebView
ASA5510-SSL100-K9	ASA 5510 VPN Edition w/ 100 SSL User License, 3DES
C2821-VSEC-CCME/K9	2821 VSEC Bundle w/PVDM2-32,FL-CCME-50,Adv IP Serv
CAB-ATM-DS3/E3=	ATM Cable, DS-3 and E3, 10
PIX-4FE-66=	PIX 66-MHz four-port 10/100 Fast EŞerne
CP-7911G=	Cisco IP Phone 7911G
SPA3102-EU	Single Port Router with 1 Phone Port and 1 FXO Por
SPA2102-EU	Single Port Router with 2 Phone Ports (Europe)
MEM-RSP720-CF512M=	C7600 RSP720 Compact Flash memory
CAB-X21MT=	X21 Cable DTE Male 10 Feet
VWIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
XCISCO2811-V/K9	2811 Router Bundle,PVDM2-16,SP Serv,64F/2
WS-C6506E-S32-10GE	Catalyst 6506 Chassis
SR224G-EU	Linksys 24 10/100+1 Giga + 1 minigiga
SPA942-EU	2- or 4-Line IP Telephone with 2-Port Ethernet Swi
SPA941-EU	IP Phone
SPA400-EU	Internet Telephony Gateway with 4 FXO Ports (Europ
SD2008-EU	8-Port 10/100/1000 Gigabit Switch

WS-C3750-24PS-E	Catalyst 3750 24 10/100 PoE + 2 SFP + IPS Image
SW-CCME-UL-7975=	Communications Manager Express Lc For One 797
ASA5510-SSL50-K9	ASA 5510 VPN Edition w/ 50 SSL User License, 3DES/
PWR-RPS2300	Spare RPS 2300 Chassis w/ Blower, PS blank, No Pow
C3K-PWR-750WAC	Catalyst 3750-E/3560-E/RPS 2300 750WAC power suppl
NM-2FE2W-V2=	2 port 10/100 Ethernet wiŞ 2 WAN Card S
CISCO871W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
SW-IPCOMM-E1=	Cisco IP Communicator - Communications C
WS-C3750E-24TD-E	Catalyst 3750 24 1000BaseFX + 2 10ge
WS-C3560E-48PD-S	Catalyst 3560E 48 10/100/1000 PoE+2*10GEX2,750W
WS-C2960-24LT-L	Catalyst2960 24 10/100 (8 PoE)+ 2 1000BT LAN Base
WCS-APBASE-50=	Spare : WCS-Standard-K9 50 APs. License Only.
CP-7942G=	Cisco Unified IP Phone 7942, spare
WS-G5484=	1000Base-Sx
WS-C2960-24PC-L	Catalyst 2960 24 10/100 PoE + 2 T/SFP LAN Base I
WIC-2A/S=	2 Async/Sync Serial Wan Interface Card
WIC-2T=	2 Port Smart Serial Card
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased li
CP-7970G=	Cisco IP Phone 7970G, Global
VWIC2-1MFT-T1/E1	1-Port 2nd Gen Multiflex Card
PWR-3845-AC-IP	Cisco 3845 AC-IP factory upgrade option power sup
CISCO3845-AC-IP	3845 w/AC+POE,2GE,1SFP, 4 NME, 4HWIC, IP Base,64F/
PWR-C49-300AC/2	Catalyst 4948 300-Watt AC Power Supply
VWIC-2MFT-G703=	2-Port RJ-48 Multiflex Trunk - G.703
S184AISK9-12403	Cisco 1841 IOS ADVANCED IP SECURITY
CISCO7204VXR=	7204VXR, 4-slot chassis, 1 AC Supply, Sp
UCSS-MPE-V-1-10=	UCSS for CCX STD for Three Year - 10 users
UCSS-MPE-W-1-10=	UCSS MeetingPlace Express Web 1Yr-10 Concurrent Us
UCSS-CCX-E-1-1=	UCSS for CCX ENH for One Year - 1 users
UCSS-UCM-1-1K	UCSS for UCM for One Year - 1,000 users
UCSS-UCM	Top level SKU, Unified CallManager Software Subscr
ASA5540-AIP40-K9	ASA 5540 Appliance w/ AIP-SSM-40, SW, HA, 4GE+1FE,
ASA5505-SW-50-UL=	ASA 5505 50-to-Unlimited User upgrade software lic
PA-MC-8TE1+=	8 port multich T1/E1 module
NM-16ESW-1GIG	1 16 port 10/100 EtherSwitch NM + 1 Gig Port
ASA5500-SSL-25	ASA 5500 SSL VPN 25 User License
WCS-APLOC-100	Option Of WCS-Standard-K9 100 APs Location. Licens
WIC-4ESW=	4-port Ethernet Switch WIC
PWR-C49-300AC=	Catalyst 4948 300-Watt AC Power Supply
CP-DSKCH-7921G=	Cisco 7921 Desk Top Charger ASSY
NM-2W=	2 Wan Card Slot Network Module
EM-HDA-4FXO=	4-port voice/fax expansion module - FXO
C2811-VSEC/K9	2811 Voice Security Bundle PVDm2-16
GLC-LX-SM-RGD=	1000Mbps Single Mode Rugged SFP
WS-C6506-E-FAN=	Catalyst 6506-E Chassis Fan Tray
PWR-2821-51-AC-IP=	Cisco 2821/51 AC/IP power supply
CAB-SS-V35MC=	V.35 Cable, DCE Male to Smart Serial, 10 Feet
CISCO2811-AC-IP	2811 w/ AC+POE,2FE,4HWICs,2PVDmS,1NME,2AIMS,IP BAS
WS-C4510R-E	Cat4500 E-Series 10-Slot Chassis, fan, no ps,Red S
WS-C4948-10GE-S	Catalyst 4948, IPB s/w, 48*10/100/1000+2*10GE(X2),
ASR1000-SIP10	Cisco ASR1000 SPA Interface Processor 10
ASR1006-10G-SHA/K9	ASR1006 Sec+HA Bundle w/ 2xESP-10G,2xRP1,SIP10,AES
CISCO1841-ADSL2	1841 bundle, HWIC-1ADSL, IP BB, 32F/128D

CISCO2811-ADSL2/K9	2811 bundle, HWIC-1ADSL, SP Svcs, 64FL/256DR
CISCO2851-HSEC/K9	2851 Bundle w/AIM-VPN/SSL-2,Adv. IP Serv,10 SSL li
ASA5510-SEC-PL=	ASA 5510 Appliance w/AIP-SSM, SW
ASA5500-SSL-50=	ASA 5500 SSL VPN 50 User License
CAB-CEE77-C15-EU=	CEE 7/7 to IEC-C15 8ft Europe
WS-C2960-48TT-S	Catalyst 2960 48 10/100 + 2 1000BT LAN Lite Image
SFP-GE-L	1000BASE-LX/LH SFP (DOM)
NM-1A-T3/E3=	1-Port E3 ATM Network Module
NM-1A-OC3-POM=	ATM OC3 module with single POM (SFP) slot
CAB-CEE77-C19-EU=	CEE 7/7 to IEC-C15 8ft Europe
AIM-VPN/SSL-3=	DES/3DES/AES/SSL VPN Encryption/Compression
WS-C3560E-24TD-E	Catalyst 3560E 24 10/100/1000+2*10GE(X2),265W,IPS
CP-7965G=	Cisco Unified IP Phone 7965, Gig Ethernet, Color,
ASA-SSM-AIP-20-K9=	ASA 5500 AIP Security Services Module-20
ASA5520-AIP40-K9	ASA 5520 Appliance w/ AIP-SSM-40, SW, HA, 4GE+1FE,
SRW2008P-EU	8-port 10/100/1000 Gigabit Switch with WebView and
MFEFX1	100 Base-FX Mini-GBIC SFP Transceiver
MEM-NPE-G2-2GB=	T7200 Series NPE-G2 2GB Memory, Spare
SPA921-EU	1-Line IP Telephone with 1-Port Ethernet, Display
SFE1000P-EU	8-port 10/100 Ethernet Switch with PoE
WS-C3750G-48TS-E	Catalyst 3750 48 10/100/1000T + 4 SFP + IPS Image
CISCO857-K9	ADSL SOHO Security Router
CAB-STACK-3M-NH=	Cisco StackWise 3M Non-Halogen Lead Free Stacking
WVC210-G5	Wireless-G PTZ Internet Camera with 2-Way Audio
VIC2-2E/M=	Two-port Voice Interface Card - EandM
WAE-7341-K9	Wide Area Application Engine 7341 12GB RAM, HDD In
ASA-CSC20-PLUS=	ASA 5500 CSC SSM20 Plus Lic. (Spam/URL/P
NPE-G1=	7200 Network Processing Engine wi\$ 3 GE
CISCO2821-WAE/K9	2821 Security Bundle,Adv Security,64F/25
CISCO1841-2SHDSL	1841 2-pair G.SHDSL bundle, HWIC-2SHDSL, IP Base,
SRW208MP-EU	8-port 10/100 Ethernet Switch WebView, Maximum Pow
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply wi\$
SRW248G4-EU	Linksys 48 10/100+4 Gig Web View managab
WS-C3750G-24PS-E	Catalyst 3750 24 10/100/1000T PoE + 4 SFP + IPS Im
CP-7962G=	Cisco Unified IP Phone 7962, spare
CP-7916=	7916 IP Phone Color Expansion Module
CAB-STACK-1M-NH=	Cisco StackWise 1M Non-Halogen Lead Free Stacking
SRW208G-EU	8-port 10/100 Ethernet Switch with WebView & Expan
CISCO2821-AC-IP	2821 w/ AC PWR,2GE,4HWICs,3PVDM,1NME-X,2
ASA-CSC10-250P-1Y	ASA 5500 CSC-SSM-10 250-User Plus Lic. Only Renewa
ASA-CSC10-50U-2Y	ASA 5500 CSC-SSM-10 50-User License Only Renewal
AIM-ATM	High Performance ATM Advanced Integratio
HWIC-1FE=	1-port 10/100 Routed Port HWIC
PVDM2-16=	16-Channel Packet Voice/Fax DSP Module
CP-7906G	Cisco IP Phone 7906G
C1861-SRST-F/K9	1861,8-user SRST or CME,4FXS,4FXO, 8xPOE, SP Svcs,
WAP2000	Wireless-G Access Point with Power Over Ethernet
SRW2008P	Linksys 8 port 10/100/1000 SWITCH
SPA8000-G5	8-Port IP Telephony Gateway
SLM248G-G5	48-port 10/100 + 2-port Gigabit Smart Switch & 2
SLM224G-G5	24 10/100+2 10/100/1000 Gig Web View manag
SLM224P-G5	24-port 10/100 2-port Gigabit Smart Switch 2 combo
SLM224G4S-G5	24-port 10/100 4-port Gigabit Stackable Smart Swit

SLM2024-G5	24-port 10/100/1000 Gigabit Smart Switch with 2 co
SD208-EU	8-Port 10/100 Switch
HGA9N	High Gain Omni-Directional Antenna for N Type Conn
WS-C4507R-E	Catalyst 4500 7-Slot Chassis, fan, no ps, Red S
NM-HD-2V=	Two-slot IP Communications Voice/Fax Net
SW-CCM-UL-7970=	Call Manager Lc for single 7970 pho
ASA-CSC10-PLUS=	ASA 5500 CSC SSM10 Plus Lic. (Spam/URL/P
ASA-CSC10-USR-100=	ASA 5500 Content Security SSM-10 100 Use
CP-7937G=	Cisco IP Conference Station 7937 Global
WS-G5486=	1000Base-Lx/Lh Gbic Multi/Single Mode
WS-C3750-48PS-E	Catalyst 3750 48 10/100 PoE + 4 SFP + IPS Image
ASA-SSM-CSC-10-K9=	ASA Content Security SSM-10 w/ 50 Usr AV/Spy, 1YR
ASA-CSC10-100P-1Y	ASA 5500 CSC-SSM-10 100-User Plus Lic. Only Renewa
PWR-C45-4200ACV=	Catalyst 4500 4200W AC dual input Power Supply (Da
PWR-C45-1300ACV=	Catalyst 4500 1300W AC Power Supply wiŞ
SW-CCME-UL-7941=	Cisco CallManager Express Lc For Single 7941
SW-CCME-UL-7911=	Cisco CallManager Express Lc For Si
CP-7936=	IP Conf. Station w external mic ports
AIM-CUE=	Unity Express AIM -price includes 12 mai
WIC-1SHDSL-V3=	One-port G.shdsl WIC wiŞ 4-wire support
NM-4B-S/T=	4-Port ISDN-BRI Network Module
C2811-VSEC-SRST/K9	2811 VSEC Bundle w/PVDM2-16,FL-SRST-36,Adv IP Serv
GLC-FE-100FX=	100BASE-FX SFP for FE port
CAB-SS-232MT=	RS-232 Cable,DTE Male to Smart Serial
SW-CCM-UL-7940=	CallManager Unit Lc for single 7940
PWR-C45-1000AC=	Catalyst 4500 1000W AC Power Supply (Dat
PVDM2-8	8-Channel Packet Voice/Fax DSP Module
WIC-1ADSL-DG=	1-port ADSL WAN Interface Card
NM-HD-1V=	One-slot IP Communications Voice/Fax Net
CNS-NFC-5.0-K9	NetFlow Collection Engine V5.0
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT
GLC-ZX-MM=	1000BASE-ZX SFP
NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Networ
ASA5505-SEC-PL=	ASA 5505 Sec. Plus Lic. w/ HA, DMZ, VLAN trunk, mo
ASA5505-SW-10-UL=	ASA 5505 10-to-Unlimited User upgrade software lic
SW-CCM-UL-7911	CallManager RTU Lc for Single IP Phone 7911
S184USPSK9-12405	Cisco 1841 IOS BB-SPSK9 FEAT SET FACTORY UPG FOR B
PWR-2700-AC/4=	2700W AC Power Supply for Cisco 7604/650
GLC-ZX-SM=	1000BASE-ZX SFP
WS-C3560E-48PD-EF	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2),1150W
ASA5500-SSL-50	ASA 5500 SSL VPN 50 User License
VWIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
CISCO7201	Cisco 7201 Chassis, 1GB Memory, Dual P/S, 256MB FI
SW-CCM-UL-7906=	IP telephony Spare Licence
S184SPSK9-12413	Cisco 1841 IOS SP SERVICES
CAB-E1-RJ45BNC	E1 Cable RJ45 to dual BNC (unbalanced), Spare
NM-HDV2-2T1/E1=	IP Communications High-Density Digital V
NM-16ESW=	1 16 port 10/100 EŞerSwitch NM -opt GE
CISCO1841-4SHDSL	1841 4-pair G.SHDSL bundle, HWIC-4SHDSL, IP Base,
CAB-OCTAL-ASYNC=	8 Lead Octal Cable (68 pin to 8 Male RJ-
PWR-2700-DC/4=	2700W DC Power Suppl
SW-CCME-UL-7970=	Cisco CallManager Express License For Si
PA-MC-2E1/120	2 multichannel E1port adapter wiŞ G.703

CP-7937-MIC-KIT=	Microphone Kit, for 7937
SW-CCM-UL-7961=	Lce, Cisco IP Phone 7961
CP-7937-PWR-SPL=	Power for 7937
PWR-3845-AC=	Cisco 3845 AC power supply
PWR-4000-DC	4000W DC Powr Sup for CISCO7609/13, Cat6
PWR-7200/2	CISCO7200 REDUNDANT AC PS OPTION
PWR-7200-ACE=	CISCO 7200 AC POWER SUPPLY WIŞ EUROPEAN
PWR-7835-H1=	Spare Hot Swap Pwr Supply For MCS-7835-H
PWR-850-870-WW1=	Cisco 850/870 series external
WIC-1ADSL	1-port ADSL WAN Interface Card
WIC-1B-S/T-V3	1-Port ISDN WAN Interface Card (dial and leased li
WIC-1B-U-V2=	1-Port ISDN BRI NT-1 WIC
WIC-1ENET=	SINGLE PORT Ethernet WAN INTERFACE CARD
WIC-1SHDSL-V3	One-port G.shdsl WIC wiŞ 4-wire support
WIC-1T	1 Port Serial Wan Interface
WIC-2A/S	2 Async/Sync Serial Wan Interface Card
WIC-2T	2 Port Smart Serial Card
WIC-4ESW	4-port Ethernet Switch WIC
VWIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-G703=	1 PORT RJ-48 MULTIFLEX TRUNK-G.703
VWIC2-1MFT-G703	1-Port 2nd Gen Multiflex Trunk Voice/WAN
VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Card
VWIC2-2MFT-G703	2-Port RJ-48 Multiflex Trunk - G.703
PWR-2811-AC-IP=	Cisco 2811 AC power supply
PWR-2821-51-AC-IP	Cisco 2821/51 AC/IP power supply
CISCO877-SEC-K9	Cisco 877 Security Bundle wiŞ Advanced
CISCO877W-G-A-K9	ADSL Security Router wiŞ wireless
CISCO1841-HSEC/K9	1841 Security bundle w/AIM-VPN,Adv.IP Sv
CISCO1841-SEC/K9	1841 Security Bundle,Adv.Security,64FL/2
VWIC-2MFT-E1	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1-DI	2-Port RJ-48 Multiflex Trunk - E1 WiŞ D
VWIC-2MFT-G703	2-Port RJ-48 Multiflex Trunk - G.703
VIC2-2BRI-NT/TE	Two-port Voice Interface Card - BRI (NT
VIC2-2E/M	Two-Port V. Interface Card-EandM
VIC2-2FXO=	Two-port V. Interface Card-FXO (Universa
VIC2-2FXS=	Two-port V. Interface Card-FXS
VIC2-4FXO=	Four port V.interface card-FXO (Univer.)
VIC-4FXS/DID	4 port FXS or DID VIC
VIC-4FXS/DID=	4 port FXS or DID VIC
VIP6-80	VERSATILE INTERFACE PROCESSOR 6,MODEL 80
SPA901	Linksys IP Phone 1 hat ekransız
SPA932	Linksys V1 32 button attendant cont
SRW2024P	24-port 10/100/1000 Gigabit Switch with WebView an
CISCO3845-HSEC/K9	3845 Bund. w/AIM-VPN/SSL-3,Adv. IP Serv,25 SSL lic
CISCO3845-SEC/K9	3845 Security Bundle,Adv Security,64F/25
CISCO3845-SRST/K9	3825 Voice Bundle w/ PVDM2-64,FL-SRST-16
CISCO3845-V/K9	3845 Voice Bundle,PVDM2-64,SP Serv,64F/2
CISCO7204VXR	7204VXR, 4-slot chassis, 1 AC Supply, Sp
CISCO7206VXR	CISCO7206VXR 6 SLOT CHASSIS, 1 AC PS
WRV200	Wireless-G VPN Router with RangeBooster
WRVS4400N-EU	Wireless-N Gigabit Security Router with VPN
RV042-EU	10/100 4-Port VPN Router
RV082-EU	Linksys 10/100 8 Port VPN Router

C2811-SHDSL-V3/K9	2811 DSL bundle ,WIC-1SHDSL-V
C2821-VSEC/K9	2821 Voice Security Bundle,PVDM2-32,Adv IP Serv,64
C3845-VSEC/K9	Cisco 3845 Voice Security Bundle System
CISCO3825	3825 w/AC PWR, 2GE,1SFP, 2NME, 4HWIC, IP
CISCO3825-HSEC/K9	3825 w/AC PWR, 2GE,1SFP, 2NME, 4HWIC, IP
CISCO3825-SEC/K9	3825 w/AC PWR, 2GE,1SFP, 2NME, 4HWIC, IP
CISCO3825-SRST/K9	3825 w/AC PWR, 2GE,1SFP, 2NME, 4HWIC, IP
CISCO3825-V/K9	3825 Voice Bundle,PVDM2-64,SP Serv,64F/2
CAB-ADPT-75-120=	Adapter cable-converts 75 ohm to 120 ohm, Spare
CAB-ATM-DS3/E3	ATM Cable, DS-3 and E3, 10
CAB-C19-CBN=	Cabinet Jumper Power Cord, 250 VAC 16A,
CAB-DFC-OCTAL-1MF	1 Meter 8 PRI DFC Cable - Female RJ45
CAB-DFC-OCTAL-3MF=	3 Meter 8 PRI DFC Cable - Female RJ45
CAB-DS-ACE	Power Cables for AC Power Option, Europe
CAB-E1-DB15	E1 Cable DB15 120 ohm/Balanced, 5 Meters
CAB-E1-PRI	E1- ISDN PRI Cable, 10 Feet
CAB-E1-RJ45BNC=	E1 Cable RJ45 to dual BNC (unbalanced), Spare
CAB-E1-RJ45TE=	Spare E1 Cable RJ45 to RJ45 TE
CAB-ETH-S-RJ45	Yellow Cable for Ethernet, RJ45, 6 feet
CAB-ETHXOVER=	Ethernet Cross-over Cable
CAB-OCT-232-MT	8 Lead Octal Cable and 8 Male RS232/V.24 DTE Conne
CAB-OCTAL-ASYNC	8 Lead Octal Cable (68 pin to 8 Male RJ-
CAB-OCTAL-KIT	8 Lead Octal Cable,8 Male DB25 Modem Con
CAB-OCT-V35-MT	8Lead Octal Cable and 8Male V35 DTE Con.
CAB-S/T-RJ45	Orange Cable ISDN BRI S/T, RJ-45 6 Feet
CAB-SS-232FC	RS-232 Cable, DCE Female to Smart Serial
CAB-SS-232MT	RS-232 Cable,DTE Male to Smart Serial
CAB-SS-449FC=	RS-449 Cable, DTE Male to Smart Serial,
CAB-SS-530AMT	RS-530A Cable, DTE Male to Smart Serial,
CAB-SS-V35FC	V35 Cable, DCE Female to Smart Serial
ASA5550-BUN-K9	ASA5550 APPLIANCE WITH SW
WS-C4510R	Catalyst 4500 Chassis (10-Slot)
CP-7921G-W-K9=	Cisco 7921G Rest of World; Battery/Power Supply No
SW-CCM-UL-7911=	CallManager RTU Lc for Single IP Phone 7911
SFP-GE-T=	1000BASE-T SFP (NEBS 3 ESD)
C2801-VSEC/K9	2801 Voice Security Bundle,PVDM2-8,Adv IP Serv,64F
ASA-CSC10-50P-1Y	ASA 5500 CSC-SSM-10 50-User Plus Lic. Only Renewal
CISCO1801/K9	ADSL/POTS Router with Firewall/IDS and IPSEC 3DES
UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
CP-7945G=	Cisco IP Phone 7945, Gig Ethernet, Color, spare
RCKMNT-19-CMPT=	19 IN RACKMOUNT FOR CATALAYST 3560,2960
SW-CCME-UL-7936=	Cisco CallManager Express Lc For Si
CISCO1841-ADSL	1841 ADSLoPOTS Bdle,IP Broadband,32FL/128DR
UC520-8U-4FXO-K9	UC 520 Router 8U CME Base, CUE and FL w/4FXO,
RCKMNT-19-CMPCT=	19 IN RACKMOUNT FOR CATALAYST 3560,2960
SFP-GE-L=	1000BASE-LX/LH SFP (DOM)
CISCO878W-G-E-K9	G.SHDSL Security Router with wireless 802.11g ETSI
CP-7961G-CH1	Cisco IP Phone 7961, Channel w/ license
CP-7960G-CH1	PROMOTION PRICE, 7960 IP Phone with one
CAB-STACK-1M=	Cisco StackWise 1M Stacking Cable
CP-LCKNGWALLMNT2=	Universal Locking Wallmount Kit for 7900 Series IP
C3K-PWR-750WAC=	Catalyst 3750-E/3560-E/RPS 2300 750WAC power suppl
PWR-RPS2300=	Spare RPS 2300 Chassis w/ Blower, PS blank, No Pow

UCSS-UCM-1-100=	UCSS for UCM for One Year - 100 users
WS-C3750E-48TD-E	Catalyst 3750E 48 10/100/1000+2*10GE(X2),265W,IPB
CP-7975G=	Cisco IP Phone 7975G, Gig ethernet ,color
WS-C3750E-24PD-S	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2),750W,
WS-C3750E-24TD-S	Catalyst 3750E 24 10/100/1000+2*10GE(X2),265W,IPB
WS-C3560E-48PD-SF	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2),1150W
WS-C3560E-24PD-S	Catalyst 3560E 24 10/100/1000 PoE+2*10GE(X2),750W,
WCS-APBASE-100	Option of WCS-Standard-K9 100 APs. License Only.
SW-IPCOMM-100BUN=	Cisco IP Communicator 100-Unit Bundle
SSM-4GE=	ASA 5500 4-Port Gigabit Ethernet SSM (RJ-45+SFP)
ASA5500-SSL-25=	ASA 5500 SSL VPN 25 User License
UC520W-8U-2BRI-K9	520 rOUTER 8U CME Base, CUE w/2BRI,
CISCO2851-SEC/K9	2851 Security Bundle,Adv Security,64F/256D
C2811-WAE-302/K9	2811 Router, NME-WAE-302-K9,WAAS Trans,ASK9 ASK9,
CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
CAB-ETH-S-RJ45=	Yellow Cable for Ethernet, RJ45, 6 feet
NM-HDV2-1T1/E1=	IP Communications High-Density Digital V
SW-CCME-UL-7960=	Cisco CallManager Express License For Single 7960
PIX-501-PWR-AC=	PIX 501 spare AC power supply
CAB-S/T-RJ45=	Orange Cable ISDN BRI S/T, RJ-45 6 Feet
VVIC2-2MFT-T1/E1	2-Port 2nd Gen Multiflex Trunk Voice/WAN
VIC2-4FXO	Four port V.interface card-FXO (Univer.)
CP-7985-PAL=	Cisco IP Video Phone 7985 PAL
NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB, Spare
ASA5500-SSL-10=	ASA 5500 SSL VPN 10 User Lc
NM-1T3/E3=	One port T3/E3 network module
HWIC-3G-GSM	3GWWAN HWIC-HSDPA/UMTS/EDGE/GPRS-850/900/1800/1900
AIM-VPN/EPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
RACK-QCN-SN5=	Rack for CWWLSE Express 1030
NOK-SCCP-CCM-05=	Nokia Intellisync PBX Connect for CCM (SCCP Client
CISCO2801-ADSL2/K9	2801 bundle, HWIC-1ADSL, SP Svcs, 64F/192DR
WS-C2960-24TC-S	Catalyst 2960 24 10/100 + 2SFP LAN
PVC2300	Business Internet Video Camera with Audio and POE
SW-CCME-UL-7906	Cisco CallManager Express Lc For Single 7906
PWR-2821-51-AC=	Cisco 2821/51 AC power supply
ASA-CSC10-50P-2Y	ASA 5500 CSC-SSM-10 50-User Plus Lic. Only Renewal
ASA5540-SSL1000-K9	ASA 5540 VPN Edition w/ 1000 SSL User License, HA,
SW-UCC-CLIENT-1	Cisco Unified CallConnector for MS Windows Persona
WCS-APLOC-50	WCS-Standard-K9 50 AP Location Lc
WCS-CD-K9	CD With Windows And Linux
ONS-GC-GE-LX=	GBIC- 1000Base-LX, SC, SM
WS-C4503-E	Cat4500 E-Series 3-Slot Chassis, fan, no ps
SW-CCME-UL-7961=	Cisco CallManager Express License For Single 7961G
PWR-2700-DC/4	2700W DC Power Suppl
ASA-CSC10-USR-250=	ASA 5500 CSC-SSM-10 50-User Plus Lic. Only Renewal
ASA-CSC10-50U-1Y=	ASA 5500 CSC-SSM-10 50-User License Only Renewal (
SW-CCME-UL-7975	Communications Manager Express Lc For One 797
SW-CCME-UL-7945	Communications Manager Express Lc For One 794
PAP2T	Phone Adapter with 2 Ports for Voice-over-IP (Euro
AIR-ANT5175V-N=	4.9 GHz-5.8 GHz, 7.5 dBi Omni with N Connector
CISCO1721	10/100 BASE-T MODULAR ROUTER W/2 WAN
CISCO2801	2801 Router/AC PWR,2FE,4slots(2HWICs),2A

CISCO837-K9-64	Cisco 837 ADSL Router-64MB
CISCO837-S-K9-64	Cisco 837 Security Bundle wiŞ PLUS feat
CP-PWR-INJ=	IP Phone Power For 7900 Series Phones
CWSNM-1.5-K9	CiscoWorks Small NMS Solution, Incl. WUG
NSS4000	4 Bay Gigabit Network Storage System Chassis
WAE-512-K9	Cisco Application Eng 512, 1GB ME
CISCO2801-CCME/K9	2801 Voice Bundle w/ 24-user FL-CCME-SMA
CISCO2801-HSEC/K9	2801 Security Bundle,AIM-VPN/EPII-PLUS,A
CISCO2801-SEC/K9	2801 Security Bundle,Adv Security,64F/25
CISCO2801-SRST/K9	2801 Voice Bundle w/ PVDM2-8,FL-SRST-24,
CISCO2801-V/K9	2801 Router Bundle,PVDM2-8,SP Serv,64F/25
CISCO2801-V3PN/K9	2801 V3PN bdl,AIM-VPN,PVDM2-8,FL-CCME-24
CISCO2821	2821 w/ AC PWR,2GE,4HWICs,3PVDM,1NME-X,2
CISCO2821-CCME/K9	2821 Voice Bundle w/ PVDM2-32,FL-CCME-48
CISCO2821-HSEC/K9	2821 Security Bundle,AIM-VPN-EPII-PLUS,A
CISCO2821-SEC/K9	2821 Security Bundle,Adv Security,64F/25
CISCO2821-SRST/K9	2821 Voice Bundle w/ PVDM2-32,FL-SRST-48
CISCO2821-V/K9	2821 Router Bundle,PVDM2-32,SP Serv,64F/2
CISCO2821-V3PN/K9	2821 V3PN bdl w/AIM-VPN,PVDM2-32,CCME-4
CISCO2851	2851 w/ AC PWR,2GE,4HWIC,3PVDM,1NME-XD,2
CISCO2851-CCME/K9	2851 Voice Bundle w/ PVDM2-48,FL-CCME-96
CISCO2851-SRST/K9	2851 Voice Bundle w/ PVDM2-48,FL-SRST-72
CISCO2851-V/K9	2851 Voice Bundle w/ PVDM2-48,FL-SRST-72
SPA2102	Linksys 1 Port Router w 2 phone ports
SPA400	Linksys IP Phone 4 FXO
CISCO2811-CCME/K9	2811 wiŞ WIC-1ADSL (ADSLoPOTs), SP Ser
CISCO2811-HSEC/K9	2811 Security Bundle,AIM-VPN-EPII-PLUS,A
CISCO2811-SEC/K9	2811 Security Bundle,Adv Security,64F/25
CISCO2811-SRST/K9	2811 Voice Bundle w/ PVDM2-16,FL-SRST-36
CP-7940G=	Cisco IP Phone 7940, Business Set (with
CP-7931G	Cisco IP phone 7931G
CP-7931G=	Cisco IP phone 7931G
SW-CCME-UL-7911	Cisco CallManager Express Lc For Si
SW-CCME-UL-7931	Cisco CallManager Express License For Si
UCSS-CCX-S-3-10	UCSS for CCX STD for Three Year - 10 users
PIX-501-SW-10-50=	PIX 501 10 to 50 User Upgrade Software L
PIX-501-SW-10-UL=	PIX 501 10-to-unlimited user upgrade sof
PIX-501-UL-BUN-K9	PIX 501-UL Bundle (Chassis, SW, Unlimite
S184SPSK9-12412	Cisco 1841 IOS SP SERVICES
ACS-2500ASYN	Auxiliary/Console Port Cable Kit
ACS-2600ASYN=	Auxiliary and Console Port Cable Kit for Cisco 260
AIM-ATM=	High Performance ATM Advanced Integratio
AIM-CUE	Unity Express AIM -price includes 12 mai
CD17-IPV=	CISCO 1700 IP VOICE Feature Pack
CD18-ASK9=	CISCO 1841 ADVANCED SECURITY Feature Pac
CD18-EB=	CISCO 1841 ENTERPRISE BASE Feature Pack
CD18-SPSK9=	CISCO 1841 SP SERVICES Feature Pack
CD28-IPV=	CISCO 2801 IP Voice Feature Pack
CD28N-AESK9=	CISCO 2800 ADVANCED ENTERPRISE SERVICES
CD28N-AISK9	CISCO 2800 ADVANCED IP SERVICES Feature
CD28N-AISK9=	CISCO 2800 ADVANCED IP SERVICES Feature
CD28N-ASK9=	CISCO 2800 ADVANCED SECURITY Feature Pac
CD28N-IPV=	CISCO 2800 IP Voice Feature Pack

CD28N-SPSK9=	CISCO 2800 SP SERVICES Feature Pack
CD28-SPSK9=	CISCO 2801 SP SERVICES Feature Pack
CAB-232FC	RS-232 Cable, DCE, Female, 10 Feet
CAB-232MT	RS-232 Cable DTE Male 10 Feet
CAB-449MT=	RS-449 CABLE, DTE MALE 10 FEET
CAB-530MT=	Male DTE RS-530 Cable, 10 feet
CAB-7513ACE=	AC POWER CORD EUROPE
CAB-7KACE=	Cisco 7500 Series AC Power Cord, Europe
CAB-AC-2500W-EU=	Power Cord, 250 Vac 16 A Europe
CAB-SS-V35MT	V35 DTE Male Smart Serial
CAB-SS-X21MT	X.21 Cable, DTE Male to Smart Serial, 10
CAB-STACK-3M=	Cisco StackWise 3M Stacking Cable
CAB-STACK-50CM=	Cisco StackWise 50CM Stacking Cable
CAB-V35FC	V35 Cable, DCE, Female, 10 Feet
CAB-V35FT	V.35 Cable, DTE, Female, 10 Feet
CAB-V35MT	V.35 Cable, DTE, Male, 10 Feet
CAB-X21MT	X21 Cable DTE Male 10 Feet
HWIC-4ESW-POE=	4-Port Ethernet Switch HWIC with Power Over Ether
EM-HDA-4FXO	4-port voice/fax expansion module - FXO
EM-HDA-6FXO=	6-port voice/fax expansion module - FXO
EM-HDA-8FXS	8-port voice/fax expansion module - FXS
EVM-HD-8FXS/DID=	High density voice/fax extension module
MEM1760-64U160D=	Cisco 1760 64MB to 160MB DRAM Factory Up
MEM-NPE-G1-1GB=	Two 512MB mem modules (1GB total) for NP
MEM-NPE-G1-512MB	Two 256MB mem modules (512MB total) for
MEM-NPE-G1-FLD128	Cisco 7200 Compact Flash Disk for NPE-G1
MEM-NPE-G1-FLD256=	Cisco 7200 Compact Flash Disk for NPE-G1
NM-8AM-V2=	8 Port Analog Modem Network Module wiŞ
NM-8B-S/T=	8-Port ISDN-BRI Network Module
NM-AIR-WLC6-K9=	WLAN controller NM for 28/38xx ISR
NM-HD-1V	One-slot IP Communications Voice/Fax Net
NM-HD-2V	Two-slot IP Communications Voice/Fax Net
NM-HD-2VE	Two-slot IP Communications Enhanced Voic
NM-HDA-4FXS=	High density analog voice/fax network mo
NM-HDV2=	High Density Voice/Fax Network Module (S
NM-HDV2-1T1/E1	IP Communications High-Density Digital V
NM-HDV2-2T1/E1	IP Communications High-Density Digital V
NPE-400	7200VXR NPE-400 (128MB DEFAULT MEMORY)
NPE-G1	7200 Network Processing Engine wiŞ 3 GE
NPE-G2=	7200 series NPE-G2 engine wiŞ 3 GE/FE/E
NM-16A/S=	16 port Async / Sync Serial Module
NM-16AM-V2=	16 port Analog Modem Network Module wiŞ
NM-16ESW	1 16 port 10/100 EŞerSwitch NM -opt GE
NM-1A-E3=	1-Port E3 ATM Network Module
NM-1CE1T1-PRI	1-Port Channelized E1/T1/ISDN-PRI Networ
NM-1FE2W-V2=	1 10/100 Ethernet wiŞ 2 WAN Card Slot N
NM-1FE-FX-V2	1-Port Fast Ethernet Network Module, FX
NM-1T3/E3	One port T3/E3 network module
NM-2CE1T1-PRI	2-Port Channelized E1/T1/ISDN-PRI Networ
NM-2FE2W-V2	2 port 10/100 Ethernet wiŞ 2 WAN Card S
NM-2W	2 Wan Card Slot Network Module
NM-32A	32 Port Async Module
NM-4B-S/T	4-Port ISDN-BRI Network Module

NM-4B-U	4-Port ISDN-BRI wiŞ NT-1 Network Module
NM-8A/S	8-Port Async/Sync Serial Network Module
MEM1800-32CF=	32MB Cisco 1800 Compact Flash Memory
MEM1800-64CF=	64MB Cisco 1800 Compact Flash Memory
PVDM2-16	16-Channel Packet Voice/Fax DSP Module
PVDM2-32=	32-Channel Packet Voice/Fax DSP Module
PVDM2-48=	48-Channel Packet Voice/Fax DSP Module
PVDM2-48U64	PVDM2 48-Channel to 64-Channel Factory U
PVDM-256K-8=	8-Channel Packet V/F DSP Module
PVDM2-64	64-Channel Packet Voice/Fax DSP Module
PA-4T+	4 Port Serial Port Adapter, Enhanced
PA-4T+=	4-Port Serial Port Adapter, Enhanced
PA-A6-E3=	1Port Enh ATM E3 Port Adapter (8k VCs)
PA-E3	1 Port E3 Serial Port Adapter wiŞ E3 DS
PA-GE=	Gigabit Ethernet Port Adapter
PA-MC-2E1/120=	2 multichannel E1port adapter wiŞ G.703
PA-MC-8TE1+	8 port multich T1/E1 module
SFP-GE-S=	1000BASE-SX SFP (DOM)
PEM-20A-AC+=	PwrEntryMod use w/1400W AC P/S for CISCO
S17C7P-12315	Cisco 1700 IOS IP/ADSL PLUS
S184ASK9-12410	Cisco 1841 IOS ADVANCED SECURITY
S184EB-12404T	Cisco 1841 IOS ENTERPRISE BASE W/O CRYPT
S184SPSK9-12407	Cisco 1841 IOS SP SERVICES
S184UAIK9-12410	Cisco 1841 IOS BB-AISK9 FEAT SET FACTORY UPG FOR B
S184UASK9B-12403	Cisco 1841 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR
S26IPV-12311T	Cisco 2600 IOS IP VOICE
S323ISK9-12218SXF	Cisco CAT6000 IP SERVICES SSH
S374CP-12306	Cisco 3745 Ser IOS IP PLUS
PVDM2-8=	8-Channel Packet Voice/Fax DSP Module
PVDM2-8U16	PVDM2 8-channel to 16-channel factory up
PVDM2-8U32	PVDM2 8-channel to 32-channel factory u
PVDM-8=	8 CHANNEL PACKET VOICE/FAX DSP MODULE
PWR-1400-AC=	1400W AC pwr/sup for CISCO7603 and Catal
PWR-2700-AC/4	2700W AC Power Supply for Cisco 7604/650
PWR-2801-AC=	Cisco 2801 AC power supply
WS-C3750-48PS-S	Catalyst 3750 48 10/100 PoE + 4 SFP Stan
WS-C3750-48TS-E	Catalyst 3750 48 10/100 + 4 SFP Enhanced
WS-C3750-48TS-S	Catalyst 3750 48 10/100 + 4sfp Standart
WS-C3750E-48TD-S	Catalyst 3750E 48 10/100/1000+2*10GE(X2),265W,IPB
WS-C3750G-12S-E	Catalyst 3750 12 SFP Enhanced
WS-C3750-24TS-E	Catalyst 3750 24 10/100 + 2 SFP Enhanced
WS-C3560G-48TS-S	Catalyst 3560 48 10/100/1000T + 4 SFP St
WS-C3750-24FS-S	Catalyst 3750 24 100BaseFX + 2 SFP Stand
WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SF
WS-C3560G-24TS-E	Catalyst 3560 24 10/100/1000T + 4 SFP En
WS-C3750G-48PS-S	Catalyst 3750 48 10/100/1000T PoE + 4 SF
WS-C3750G-24PS-S	Catalyst 3750 24 10/100/1000T PoE + 4 SFP + IPB Im
WS-C3750G-24T-E	Catalyst 3750 24 10/100/1000T Enhanced M
WS-C3750G-24TS-E	Catalyst 3750 24 10/100/1000T + 4 SFP En
WS-C3750G-24TS-E1U	Catalyst 3750 24 10/100/1000 + 4 SFP Enh
WS-C3750G-24TS-S	Catalyst 3750 24 10/100/1000T + 4 SFP St
WS-C4948-10GE-E	Catalyst 4948, ES Image, 48*10/100/1000+
WS-C4948-E	Catalyst 4948, ES s/w, 48-Port 10/100/10

WS-C4948-S	Catalyst 4948, Stand L3, 48-Port 10/100/
GLC-FE-100FX	100BASE-FX SFP for FE port
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switc
GLC-LH-SM	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM	GE SFP, LC connector SX transceiver
GLC-T	1000BASE-T SFP
GLC-ZX-SM	1000BASE-ZX SFP
GEIP+	Enhanced Gigabit Ethernet
WS-G5484	1000Base-Sx
WS-G5486	1000Base-Lx/Lh Gbic Multi/Single Mode
WS-G5487	1000Base-ZX extended reach GBIC(singlemo
SFE2000P	Linksys 24 ports one ready switch with Poe
SR216	16-Port 10/100 Switch
SR224-EU	Linksys 24 10/100 L2 UNMAN
SRW2016-EU	16-Port 10/100/1000 Gigabit Switch with WebView
AIR-AP1242AG-E-K9	802.11a/g Non-modular IOS AP; RP-TNC; ETSI Cnfg
CP-LAN-CORD=	Spare LAN cord for 7900 Series IP phones
ASA5520-CSC20-K9	ASA 5520 Appl w/ CSC20, SW, 500 Usr AV/S
ASA5540-AIP20-K9	ASA 5540 Appliance w/ AIP-SSM-20, SW, HA
ASA5540-BUN-K9	ASA 5540 Appliance w/ SW, 500 VPN Peers,
ASA5540-K8	ASA 5540 Appliance with SW, HA, 4GE+1FE, DES
ASA5540-VPN-PL=	ASA 5540 VPN Plus 2000 Peer License
ASA5500-HW=	ASA 5500 Hardware Accessory Kit (Rack Mo
CP-PWR-CUBE-3	IP Phone power transformer for Şe 7900
CP-7906G=	Cisco IP Phone 7906G
CP-7914=	7914 IP PHONE EXP.MOD FOR 7960
WS-C3560-24PS-E	Catalyst 3560 24 10/100 PoE + 2 SFP Enhanced Image
WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Stan
WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP Enhanced
WS-C3560-48PS-E	Catalyst 3560 48 10/100 PoE + 4 SFP Enha
WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP Stan
WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP Enhanced
WS-C2940-8TF-S	8 10/100 Ethernet ports and 1 100BASE-FX
WS-C2940-8TT-S	8 10/100 Ethernet & 1 port 10/100/1000
WS-C2950SX-24	24 10/100 ports w/2 1000BASE-SX ports, S
WS-C2950SX-48-SI	48 10/100 and 2 1000BASE-SX uplink ports
WS-C2955T-12	2955 12 TX ports w/ copper uplinks
WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LA
SRW2048	48-Port 10/100/1000 Gigabit Switch with WebView
SRW208G	8-port 10/100 Ethernet Switch with WebView & Expan
SRW208MP	8-port 10/100 Ethernet Switch WebView & Maximum Po
SRW208P	8-port 10/100 Ethernet Switch with WebView and PoE
SRW224G4	24-Port 10/100 + 4 Port Gigabit & 2 Combo SFP Swit
SRW224P-EU	Linksys 24 10/100+2 1000 POE Web Man
SRW248G4	Linksys 48 10/100+4 Gig Web View managab
SRW248G4P	Linksys 48 10/100+4 Gig Web View managab
SR2016-EU	16-Port 10/100/1000 Gigabit Switch
SR2024-EU	Linksys 24 port 10/100/1000+2 mgbic
WS-C4503	Catalyst 4500 Chassis (3-Slot)
WS-C4507R	Catalyst 4500 Chassis (7-Slot)
WS-C6509-E	Enh C6509 Chassis, 9slot, 15RU, No Pow S
WS-C6506-E	Catalyst 6506 Spare Chassis
WS-C6506-E-FAN	Catalyst 6506-E Chassis Fan Tray

CP-SINGLFOOTSTAND=	FOOTSTAND KIT FOR SINGLE 7914
CP-7936	IP Conf. Station w external mic ports
CP-7936-MIC-KIT=	Microphone Kit, for 7936
CP-7940G	Cisco IP Phone 7940, Business Set (with
PWR-C45-1000AC	Catalyst 4500 1000W AC Power Supply (Dat
PWR-C45-1000AC/2	Catalyst 4500 1000W AC Power Supply Redu
PWR-C45-1300ACV	Catalyst 4500 1300W AC Power Supply wiŞ
PWR-C45-1300ACV/2	Catalyst 4500 1300W AC Power Supply wiŞ
PWR-C45-1400AC	Catalyst 4500 1400W AC Power Supply (Dat
PWR-C45-1400AC/2	Catalyst 4500 1400W AC Power Supply (Dat
PWR-C45-1400AC=	Catalyst 4500 1400W AC Power Supply (Dat
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply wiŞ
PWR-C45-2800ACV=	Catalyst 4500 2800W AC Power Supply wiŞ
PWR-C49-300AC	Catalyst 4948 300-Watt AC Power Supply
STK-RACKMOUNT-1RU=	Rack Mount Kit for 1RU Catalyst 1900,290
WS-SUP720-3B	Catalyst 6500/Cisco 7600 Supervisor 720
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
MGBLH1	Gigabit Ethernet LH Mini-GBIC SFP Transceiver
MGBSX1	Gigabit Ethernet SX Mini-GBIC SFP Transceiver
SD216	16-Port 10/100 Switch
PIX-501-50-BUN-K9	PIX 501-50 3DES BUNDLE (CHASSIS,SW)
PIX-501-BUN-K9	PIX 501 3DES BUNDLE (CHASSIS,SW,10USERS)
PIX-506E	PIX 506E (Chassis, software, two 10BaseT
PIX-506E-BUN-K9	PIX 506E 3DES/AES Bundle (Chassis, SW, 2
PIX-515E-UR-BUN	Chassis,unrestricted SW,2FE
PA100	Power Supply for Linksys VoIP Products
SPA921	1-Line IP Telephone with 1-Port Ethernet & Display
SPA922	1-Line IP Telephone with 2-Port Switch, PoE & Disp
SPA941	IP Phone
VG224	24 Port Voice over IP analog phone gatew
VG224-MP	Cisco VG224 for Multi-pack
VG248	Cisco 48 Port gateway equipment
SW-CCME-UL-7941	Cisco CallManager Express Lc For Single 7941
SW-CCME-UL-7961	Cisco CallManager Express Lc For Single 7961G
SW-CCME-UL-7970	Cisco CallManager Express License For Si
SW-CCM-UL-7906	IP telephony Spare Licence
SW-CCM-UL-7921G=	CallManager 4.x Lc for single Cisco 7921G
SW-CCM-UL-7936	User Lc for 7936
SW-CCM-UL-7940	CallManager Unit lc for single 7940
SW-CCM-UL-7941	CallManager Unit lc for single 7941
SW-CCM-UL-7960	CallManager Unit lc for single 7960
SW-CCM-UL-7961	Lce, Cisco IP Phone 7961
SW-CCM-UL-7970	Call Manager Lc for single 7970 pho
SW-CCM-UL-7971G	Station User License, Cisco IP Phone 797
SW-CCM-UL-7985	Station User License, Cisco IP Phone 798
SW-CCM-UL-IPCOMM-E	Single CallManager Unit License for IP C
SW-IPCOMM-E1	Cisco IP Communicator - Communications C
SW-IPCOMM-E1-CH1	Cisco IP Communicator wiŞ One Station U
IAD2431-1T1E1	IAD2431 w/1 T1/E1 Port and 1 T1/E1
IAD2431-8FXS	IAD2431 w/ 8FXS ports
ASA5510-SEC-PL	ASA 5510 Appliance w/AIP-SSM, SW
ASA5520-AIP10-K9	ASA 5520 Appl w/ AIP-SSM-10, SW,300 VPN

ASA5520-AIP20-K9	ASA 5520 Appliance w/AIP-SSM, SW
ASA-CSC10-PLUS	ASA 5500 CSC SSM10 Plus Lic. (Spam/URL/P
ASA-CSC10-USR-100	ASA 5500 Content Security SSM-10 100 Use
ASA-CSC20-PLUS	ASA 5500 CSC SSM20 Plus Lic. (Spam/URL/P
ASA-CSC20-USR-750	ASA 5500 Content Security SSM-20 750 Use
ASA5510-AIP10-K9	ASA 5510 Appliance w/AIP-SSM, SW
ASA5510-BUN-K9	ASA 5510 Appliance w/ SW, 50 VPN Peers,
ASA5510-CSC10-K9	ASA 5510 Appl w/ CSC10, SW, 50 Usr AV/Sp
ATA186-I1-1P-CH1-A	ATA186-I1 wiŞ 1-Port User
ATA186-I2-1P-CH1-A	ATA186-I2 wiŞ 1-Port User License
CP-7941G	Cisco IP Phone 7941
CP-7960G=	Cisco IP Phone 7960G, Global
CP-7961G=	Cisco IP Phone 7961, spare
CP-7970G	Cisco IP Phone 7970G, Global
CP-7971G-GE	Cisco IP Phone 7971G-GE, Global, Gig EŞ
CP-7985-PAL	Cisco IP Video Phone 7985 PAL
CP-BATT-7920-EXT=	Cisco 7920 Battery, Extended
CP-BATT-7920-STD=	Cisco 7920 Battery, Standard

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com

© 2009 telcolink Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. 617-000175 Rev. C

Haberleşme sistemlerinde **yüksek performansı yakalayın**

