


TLK-RJ4501

Waterproof IP67 korumalı,
panel tipi Keystone jack
ve plug Kiti



Genel

Outdoor (dış ortam) projelerde ethernet bağlantılarını tozlu ve ıslak olan zorlu koşullarda yapmak gerektiğinde, bu koşullara uygun dayanıklı ve koruyucu ürünler kullanmak gerekmektedir. Yağış ve toza en çok maruz kalan yerler bağlantı geçiş noktalarıdır. Panellere monte edilmiş keystone-jack denilen elemanlara RJ45 konnektörlü patch kablolar monte edilirken, IP67 standardında waterproof (suya karşı korumalı) koruma yapmak gerekmektedir. TLK-RJ4501 model numaralı dış ortam kitimiz, Cat6 SFTP (shielded), IP67 su geçirmez özellikte, aşağıda resimleri görülen bileşenlerden oluşmuş, panel tipi, inline coupler (dişi konnektör – keystone jack) ve RJ45 konnektörden oluşan, korumalı ürünümüzdür.



Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com


© 2009 telkolink Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. 617-000175 Rev. C



Spektler

RJ45 Panel Waterproof Connector Parameters

1	Model No :	TLK-RJ4501	
2	Material	Connector Body	Nylon(PA66)+GF UL94V-0 1/16"
3		Contact numbers	8pins
4		Sealing	Silica Gel
5	Property	Connector Type	Panel Fronted Mounted
6		Connector Gender	Male+Female Connector
7		Contact Resistance	<10mΩ
8		Insulation Resistance	1000MΩ at DC 500V
9		Breakdown Voltage	1.5KV/1minute
10		Temperature Rating	minus 25°C ~ plus 105°C
11		Durability(Plug/Unplug)	3000 times
12		Waterproof Rating	IP67
13		Cable Max. Diameter	10mm
14		Panel Cut-out	19.2mm-20.8mm
15	Certificate	CCC; CE; ROHS	
16	Dimension		



Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com



www.telkolink.com

© 2009 telkolink Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. 617-000175 Rev. C





Uygulaması



Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telcolink.com

www.telcolink.com

© 2009 telcolink Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. 617-000175 Rev. C

