

HARİCİ TELEFON KABLOLARI

KPD-PAP
KPD-APA
KPDF-AP
KPDF-APA

DAHİLİ TELEFON KABLOLARI

VBV
VBV-K
HBH
HBH-K

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com

© 2009 telkolink inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. E17-000175 Rev. C



Doğrudan Yeraltına Gömülen Telefon Dağıtım Kabloları

Kablo Tipi : KPD-PAP-(PD-PAP)
Şartname : TÜRK TELEKOM
Kullanım Yeri : Yer altına döşenen büzler içerisinde kullanılır. İletken çapı 0.4 ve 0.5mm olan kablolar kısa mesafe dağıtım şebekelerinde iletken çapı 0.6 ve 0.9mm olan kablolar ise uzun mesafeli şebekelerde kullanılır.

KPD-PAP

KOD	KESİT
54 40 002	2x2x0.40
54 40 004	4x2x0.40
54 40 006	6x2x0.40
54 40 010	10x2x0.40
54 40 020	20x2x0.40
54 40 030	30x2x0.40
54 40 050	50x2x0.40
54 40 100	100x2x0.40
54 40 150	150x2x0.40
54 40 200	200x2x0.40

54 50 002	2x2x0.50
54 50 004	4x2x0.50
54 50 006	6x2x0.50
54 50 010	10x2x0.50
54 50 020	20x2x0.50
54 50 030	30x2x0.50
54 50 050	50x2x0.50
54 50 100	100x2x0.50
54 50 150	150x2x0.50
54 50 200	200x2x0.50

KOD	KESİT
54 60 002	2x2x0.60
54 60 004	4x2x0.60
54 60 006	6x2x0.60
54 60 010	10x2x0.60
54 60 020	20x2x0.60
54 60 030	30x2x0.60
54 60 050	50x2x0.60
54 60 100	100x2x0.60
54 60 150	150x2x0.60
54 60 200	200x2x0.60

54 90 002	2x2x0.90
54 90 004	4x2x0.90
54 90 006	6x2x0.90
54 90 010	10x2x0.90
54 90 020	20x2x0.90
54 90 030	30x2x0.90
54 90 050	50x2x0.90
54 90 100	100x2x0.90
54 90 150	150x2x0.90
54 90 200	200x2x0.90



Havai Hat Telefon Dağıtım Kabloları

Kablo Tipi : KPD-APA (PD-APA)
Şartname : TÜRK TELEKOM
Kullanım Yeri : Genellikle şehir dışı ve kırsal alanlarda, direkler arasında havai hatlarda kullanılır.
İletken çapı 0.4 ve 0.5mm olan kablolar kısa mesafe dağıtım şebekelerinde iletken çapı 0.6 ve 0.9mm olan kablolar ise uzun mesafeli şebekelerde kullanılır.

KPD-APA

KOD	KESİT
55 40 002	2x2x0.40
55 40 004	4x2x0.40
55 40 006	6x2x0.40
55 40 010	10x2x0.40
55 40 020	20x2x0.40
55 40 030	30x2x0.40
55 40 050	50x2x0.40
55 40 100	100x2x0.40
55 40 150	150x2x0.40
55 40 200	200x2x0.40

55 50 002	2x2x0.50
55 50 004	4x2x0.50
55 50 006	6x2x0.50
55 50 010	10x2x0.50
55 50 020	20x2x0.50
55 50 030	30x2x0.50
55 50 050	50x2x0.50
55 50 100	100x2x0.50
55 50 150	150x2x0.50
55 50 200	200x2x0.50

KOD	KESİT
55 60 002	2x2x0.60
55 60 004	4x2x0.60
55 60 006	6x2x0.60
55 60 010	10x2x0.60
55 60 020	20x2x0.60
55 60 030	30x2x0.60
55 60 050	50x2x0.60
55 60 100	100x2x0.60
55 60 150	150x2x0.60
55 60 200	200x2x0.60

55 90 002	2x2x0.90
55 90 004	4x2x0.90
55 90 006	6x2x0.90
55 90 010	10x2x0.90
55 90 020	20x2x0.90
55 90 030	30x2x0.90
55 90 050	50x2x0.90
55 90 100	100x2x0.90



Dolgulu Yeraltı Telefon Dağıtım Kabloları

Kablo Tipi : KPDF-AP-(PDF-AP) Petrojel dolgulu yağlı yer altı kabloları
Şartname : TÜRK TELEKOM
Kullanım Yeri : Yer altına döşenen büzler içerisinde kullanılabilceği gibi doğrudan toprağa gömülerek de kullanılır. İletken çapı 0.4 ve 0.5mm olan kablolar kısa mesafe dağıtım şebekelerinde iletken çapı 0.6 ve 0.9mm olan kablolar ise uzun mesafeli şebekelerde kullanılır.

KPDF-AP

KOD	KESİT
56 40 002	2x2x0.40
56 40 004	4x2x0.40
56 40 006	6x2x0.40
56 40 010	10x2x0.40
56 40 020	20x2x0.40
56 40 030	30x2x0.40
56 40 050	50x2x0.40
56 40 100	100x2x0.40
56 40 150	150x2x0.40
56 40 200	200x2x0.40

56 50 002	2x2x0.50
56 50 004	4x2x0.50
56 50 006	6x2x0.50
56 50 010	10x2x0.50
56 50 020	20x2x0.50
56 50 030	30x2x0.50
56 50 050	50x2x0.50
56 50 100	100x2x0.50
56 50 150	150x2x0.50
56 50 200	200x2x0.50

KOD	KESİT
56 60 002	2x2x0.60
56 60 004	4x2x0.60
56 60 006	6x2x0.60
56 60 010	10x2x0.60
56 60 020	20x2x0.60
56 60 030	30x2x0.60
56 60 050	50x2x0.60
56 60 100	100x2x0.60
56 60 150	150x2x0.60
56 60 200	200x2x0.60

56 90 002	2x2x0.90
56 90 004	4x2x0.90
56 90 006	6x2x0.90
56 90 010	10x2x0.90
56 90 020	20x2x0.90
56 90 030	30x2x0.90
56 90 050	50x2x0.90
56 90 100	100x2x0.90
56 90 150	150x2x0.90
56 90 200	200x2x0.90

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com

© 2009 telkolink inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. E17-000175 Rev. C



Havai Hat Dolgulu Telefon Dağıtım Kabloları

Kablo Tipi : KPDF-APA-(PDF-APA) Petrojel dolgulu yağlı aski telli kablolar
Şartname : TÜRK TELEKOM
Kullanım Yeri : Genellikle şehirdışı ve kırsal alanlarda, direkler arasında havai hatlarda kullanılır.
İletken çapı 0.4 ve 0.5mm olan kablolar kısa mesafe dağıtım şebekelerinde
iletken çapı 0.6 ve 0.9mm olan kablolar ise uzun mesafeli şebekelerde kullanılır.

KPDF-APA

KOD	KESİT
57 40 002	2x2x0.40
57 40 004	4x2x0.40
57 40 006	6x2x0.40
57 40 010	10x2x0.40
57 40 020	20x2x0.40
57 40 030	30x2x0.40
57 40 050	50x2x0.40
57 40 100	100x2x0.40
57 40 150	150x2x0.40
57 40 200	200x2x0.40

57 50 002	2x2x0.50
57 50 004	4x2x0.50
57 50 006	6x2x0.50
57 50 010	10x2x0.50
57 50 020	20x2x0.50
57 50 030	30x2x0.50
57 50 050	50x2x0.50
57 50 100	100x2x0.50
57 50 150	150x2x0.50
57 50 200	200x2x0.50

KOD	KESİT
57 60 002	2x2x0.60
57 60 004	4x2x0.60
57 60 006	6x2x0.60
57 60 010	10x2x0.60
57 60 020	20x2x0.60
57 60 030	30x2x0.60
57 60 050	50x2x0.60
57 60 100	100x2x0.60
57 60 150	150x2x0.60
57 60 200	200x2x0.60

57 90 002	2x2x0.90
57 90 004	4x2x0.90
57 90 006	6x2x0.90
57 90 010	10x2x0.90
57 90 020	20x2x0.90
57 90 030	30x2x0.90
57 90 050	50x2x0.90
57 90 100	100x2x0.90



Dahili Tesisat Telefon Kabloları

Kablo Tipi : VB-V(K)
Şartname : TSE 281
Kullanım Yeri : Bina içi dağıtım kablosu olarak kullanılır.
HBH ve HBH-K Halogen Free olarak üretilmektedir.
Yangın esnasında zehirli gaz çıkarmaz.

VBV

KOD	KESİT
50 50 001	1x2x0.50
50 50 002	2x2x0.50
50 50 003	3x2x0.50
50 50 004	4x2x0.50
50 50 005	5x2x0.50
50 50 006	6x2x0.50
50 50 010	10x2x0.50
50 50 015	15x2x0.50
50 50 020	20x2x0.50
50 50 030	30x2x0.50
50 50 050	50x2x0.50
50 50 100	100x2x0.50

VBV-K

KOD	KESİT
51 50 001	1x2x0.50
51 50 002	2x2x0.50
51 50 003	3x2x0.50
51 50 004	4x2x0.50
51 50 005	5x2x0.50
51 50 006	6x2x0.50
51 50 010	10x2x0.50
51 50 015	15x2x0.50
51 50 020	20x2x0.50
51 50 030	30x2x0.50
51 50 050	50x2x0.50
51 50 100	100x2x0.50

VBV

KOD	KESİT
50 40 001	1x2x0.40
50 40 002	2x2x0.40
50 40 003	3x2x0.40
50 40 004	4x2x0.40
50 40 005	5x2x0.40
50 40 006	6x2x0.40
50 40 010	10x2x0.40
50 40 020	20x2x0.40

VBV-K

KOD	KESİT
51 40 001	1x2x0.40
51 40 002	2x2x0.40
51 40 003	3x2x0.40
51 40 004	4x2x0.40
51 40 005	5x2x0.40
51 40 006	6x2x0.40
51 40 010	10x2x0.40
51 40 020	20x2x0.40

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com

© 2009 telkolink inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. E17-000175 Rev. C



Dahili Tesisat Telefon Kabloları

Kablo Tipi : VB-V(K)

Şartname : TSE 281

Kullanım Yeri : Bina içi dağıtım kablosu olarak kullanılır. Halogen Free olarak üretilmektedir. Yangın esnasında zehirli gaz çıkarmaz.

HBH

KOD	KESİT
52 50 001	1x2x0.50
52 50 002	2x2x0.50
52 50 003	3x2x0.50
52 50 004	4x2x0.50
52 50 005	5x2x0.50
52 50 006	6x2x0.50
52 50 010	10x2x0.50
52 50 015	15x2x0.50
52 50 020	20x2x0.50
52 50 030	30x2x0.50
52 50 050	50x2x0.50
52 50 100	100x2x0.50

HBH-K

KOD	KESİT
53 50 001	1x2x0.50
53 50 002	2x2x0.50
53 50 003	3x2x0.50
53 50 004	4x2x0.50
53 50 005	5x2x0.50
53 50 006	6x2x0.50
53 50 010	10x2x0.50
53 50 015	15x2x0.50
53 50 020	20x2x0.50
53 50 030	30x2x0.50
53 50 050	50x2x0.50
53 50 100	100x2x0.50

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

www.telkolink.com

© 2009 telkolink inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. E17-000175 Rev. C

