

## Distribütörlüğünü yapmış olduğumuz Fibrige marka ürün pörföyümüz;

### Video Transmitter Receiver

FC-416A/D	16 SLOTS 4U Chassis without power module
FP-XX	Chassis Power Module for redundant
FC-416SNMP	SNMP Management module (Pls be noted, the video card is 20%+higher for SNMP)
F7-1DTR	1 Dual Data RS232/485 SM40km MM5KM,Transmitter
F7-1VT	1 Video SM 40km, MM 5km,Transmitter
F7-1VR	1 Video SM 40km, MM 5km,Receiver
F7-1VT-1DR	1 Video 1 Reverse Data SM40km MM5KM,Transmitter
F7-1VR-1DT	1 Video 1 Reverse Data SM40km MM5KM,Receiver
F7-1VT-1DTR	1 Video 1 Dual Data SM40km MM5KM,Transmitter
F7-1VR-1DTR	1 Video 1 Dual Data SM40km MM5KM,Receiver
F7-1VT-1AT-1DTR	1 Video 1 Unidirectional Stereo Audio 1Bi-Data SM40km MM2KM,Transmitter
F7-1VR-1AR-1DTR	1 Video 1 Unidirectional Stereo Audio 1Bi-Data SM40km MM2KM,Receiver
F7-1VTR-1ATR-1DTR	1 Bi-Video 1 Bi-Stereo Audio 1Bi-Data SM40km MM2KM,
F7-1VTR-1ATR-1DTR100MLAN	1 Bi-Video 1 Bi-Stereo Audio 1Bi-Data SM40km MM2KM 100MLAN,
F7-2VT	2 Video SM20km MM2KM,Transmitter
F7-2VR	2 Video SM20km MM2KM,Receiver
F7-2VT1DR	2 Video 1 Reverse Data SM20km MM2KM,Transmitter
F7-2VR1DT	2 Video 1 Reverse Data SM20km MM2KM,Receiver
F7-2VT-2AT	2 Video 2 Audio SM20km MM2KM,Transmitter
F7-2VR-2AR	2 Video 2 Audio SM20km MM2KM,Receiver
F7-2VT-1ATR-1DTR	2 Video 1 Bi-Audio 1 Bi-Data SM20km MM2KM,Transmitter
F7-2VR-1ATR-1DTR	2 Video 1 Bi-Audio 1 Bi-Data SM20km MM2KM,Receiver
F7-4VT	4 Video SM20km MM2KM,Transmitter
F7-4VR	4 Video SM20km MM2KM,Receiver
F7-4VT-1DTR	4 Video 1 Bi-Data SM20km MM2KM,Transmitter
F7-4VR-1DTR	4 Video 1 Bi-Data SM20km MM2KM,Receiver
F7-4VT-2AT	4 Video 2 Audio SM20km MM2KM,Transmitter
F7-4VR-2AR	4 Video 2 Audio SM20km MM2KM,Receiver
F7-4VT-2ATR-2DTR	4 Video 2-Bi Audio 2 Bi-Data SM20km MM2KM,Transmitter
F7-4VR-2ATR-2DTR	4 Video 2-Bi Audio 2 Bi-Data SM20km MM2KM,Receiver
F7-4VT-2ATR-2DTR-100M	4 Video 2-Bi Audio 2 Bi-Data 100M LAN SM20km MM2KM,Transmitter
F7-4VR-2ATR-2DTR-100M	4 Video 2-Bi Audio 2 Bi-Data 100M LAN SM20km MM2KM,Receiver
F7-8VT	8 Video SM20km MM2KM,Transmitter
F7-8VR	8 Video SM20km MM2KM,Receiver
F7-8VT-1DTR	8 Video 1 Bi-Data SM20km MM2KM,Transmitter
F7-8VR-1DTR	8 Video 1 Bi-Data SM20km MM2KM,Receiver
F7-8VT-2DTR	8 Video 2 Bi-Data SM20km MM2KM,Transmitter
F7-8VR-2DTR	8 Video 2 Bi-Data SM20km MM2KM,Receiver
F7-8VT-4AT	8 Video 4 Audio SM20km MM2KM,Transmitter
F7-8VR-4AR	8 Video 4 Audio SM20km MM2KM,Receiver
F7-8VT-2ATR-2DTR	8 Video 2-Bi Audio 2 Bi-Data SM20km MM2KM,Transmitter
F7-8VR-2ATR-2DTR	8 Video 2-Bi Audio 2 Bi-Data SM20km MM2KM,Receiver
F7-8VT-4ATR-4DTR	8 Video 4-Bi Audio 4 Bi-Data SM20km MM2KM,Transmitter
F7-8VR-4ATR-4DTR	8 Video 4-Bi Audio 4 Bi-Data SM20km MM2KM,Receiver
F7-8VT-4ATR-4DTR-100M	8 Video 4-Bi Audio 4 Bi-Data 100MLAN SM20km MM2KM,Transmitter
F7-8VR-4ATR-4DTR-100M	8 Video 4-Bi Audio 4 Bi-Data 100MLAN SM20km MM2KM,Receiver
F7-8VT-4ATR-4DTR-100M-4E1	8 Video 4-Bi Audio 4 Bi-Data 100MLAN 4E1 SM20km MM2KM,Transmitter
F7-8VR-4ATR-4DTR-100M-4E1	8 Video 4-Bi Audio 4 Bi-Data 100MLAN 4E1 SM20km MM2KM,Receiver
F7-8VTR-4ATR-4DTR/8VR-4ATR-4DTR-100M-4E1	8 Bi-Video 4-Bi Audio 4 Bi-Data 100MLAN 4E1 SM20km MM2KM,Transmitter
F7-8VTR-4ATR-4DTR/8VR-4ATR-4DTR-	8 Bi-Video 4-Bi Audio 4 Bi-Data 100MLAN 4E1 SM20km MM2KM,Receiver

100M-4E1	
F7-16VT	16 Video SM20km,Transmitter
F7-16VR	16 Video SM20km,Receiver
F7-16VT-8AT	16 Video 8 Audio SM20km,Transmitter
F7-16VR-8AR	16 Video 8 Audio SM20km,Receiver
F7-16VT-8ATR-8DTR	16 Video 8-Bi Audio 8 Bi-Data SM60km,Transmitter
F7-16VR-8ATR-8DTR	16 Video 8-Bi Audio 8 Bi-Data SM60km,Receiver
F7-16VT-8ATR-8DTR-100M-4E1	16 Video 8-Bi Audio 8 Bi-Data 100MLAN 4E1 SM60km,Transmitter
F7-16VR-8ATR-8DTR-100M-4E1	16 Video 8-Bi Audio 8 Bi-Data 100MLAN 4E1 SM60km,Receiver
F7-24VT	24 Video SM40km,Transmitter
F7-24VR	24 Video SM40km,Receiver
F7-24VT-12AT	24 Video 12 Audio SM60km,Transmitter
F7-24VR-12AR	24 Video 12 Audio SM60km,Receiver
F7-24VT-12ATR-12DTR	24 Video 12-Bi Audio 12 Bi-Data SM60km,Transmitter
F7-24VR-12ATR-12DTR	24 Video 12-Bi Audio 12 Bi-Data SM60km,Receiver
F7-24VT-12ATR-12DTR-100M-4E1	24 Video 12-Bi Audio 12 Bi-Data 100MLAN 4E1 SM60km,Transmitter
F7-24VR-12ATR-12DTR-100M-4E1	24 Video 12-Bi Audio 12 Bi-Data 100MLAN 4E1 SM60km,Receiver
F7-32VT	32 Video SM60km,Transmitter
F7-32VR	32 Video SM60km,Receiver
F7-32VT-16AT	32 Video 16 Audio SM60km,Transmitter
F7-32VR-16AR	32 Video 16 Audio SM60km,Receiver
F7-32VT-16ATR-16DTR	32 Video 16-Bi Audio 16 Bi-Data SM60km,Transmitter
F7-32VR-16ATR-16DTR	32 Video 16-Bi Audio 16 Bi-Data SM60km,Receiver
F7-32VT-16ATR-16DTR-100M-4E1	32 Video 16-Bi Audio 16 Bi-Data 100MLAN 4E1 SM60km,Transmitter
F7-32VR-16ATR-16DTR-100M-4E1	32 Video 16-Bi Audio 16 Bi-Data 100MLAN 4E1 SM60km,Receiver
F7-48VT	48 Video SM60km,Transmitter
F7-48VR	48 Video SM60km,Receiver
F7-48VT-24AT	48 Video 24 Audio SM60km,Transmitter
F7-48VR-24AR	48 Video 24 Audio SM60km,Receiver
F7-48VT-24ATR-24DTR	48 Video 24-Bi Audio 24 Bi-Data SM60km,Transmitter
F7-48VR-24ATR-24DTR	48 Video 24-Bi Audio 24 Bi-Data SM60km,Receiver
F7-48VT-24ATR-24DTR-100M-4E1	48 Video 24-Bi Audio 24 Bi-Data 100MLAN 4E1 SM60km,Transmitter
F7-48VR-24ATR-24DTR-100M-4E1	48 Video 24-Bi Audio 24 Bi-Data 100MLAN 4E1 SM60km,Receiver
F7-64VT	64 Video SM60km,Transmitter
F7-64VR	64 Video SM60km,Receiver
F7-64VT-32AT	64 Video 32 Audio SM60km,Transmitter
F7-64VR-32AR	64 Video 32 Audio SM60km,Receiver
F7-64VT-32AT-1DTR-100M-4E1	64 Video 32 Audio 1 Bi-Data 100MLAN 4E1 SM60km,Transmitter
F7-64VR-32AR-1DTR-100M-4E1	64 Video 32 Audio 1 Bi-Data 100MLAN 4E1 SM60km,Receiver
F7-64VT-32ATR-32DTR	64 Video 32-Bi Audio 32 Bi-Data SM60km,Transmitter
F7-64VR-32ATR-32DTR	64 Video 32-Bi Audio 32 Bi-Data SM60km,Receiver
F8-T245100	MPEG-2(4E1) Video Encoder
F8-R245100	MPEG-2(4E1) Video Decoder
F8-TH13A-1VT-1ATR-1DTR-2CTR	1 Video 1Audio 1Data 2CC, H.264 Encoder by IP
F8-TH13A-1VR-1ATR-1DTR-2CTR	1 Video 1Audio 1Data 2CC, H.264 Decoder by IP
F8-TH15A-1VT-1ATR-1DTR-2CTR	1 Video 1Audio 1Data 2CC, H.264 Encoder by E1
F8-TH15A-1VR-1ATR-1DTR-2CTR	1 Video 1Audio 1Data 2CC, H.264 Decoder by E1
F8-TH13A-4VT-4AT-1AR-1DTR-4CTR	4 Video 4AudioT 1AudioR 1Data 4CC, H.264 Encoder by IP
F8-TH13A-4VR-1ATR-1DTR-2CTR	4 Video 1AudioTR 1Data 2CC, H.264 Decoder by IP
F8-TH15A-4VT-4AT-1AR-1DTR-4CTR	4 Video 4AudioT 1AudioR 1Data 4CC, H.264 Encoder by E1
F8-TH15A-4VR-1ATR-1DTR-2CTR	4 Video 1AudioTR 1Data 2CC, H.264 Decoder by E1

### SDI/ASI Video Optic Transmission

F13-SD-1VT-S022F/1VRB-S023F	1 SDI/ASI in 2 SDI/ASI out, SM 20KM FC
-----------------------------	--

F13-SD-1VTR-S022F/1VTRB-S023F	Bi-Direction,1 SDI/ASI in 2 SDI/ASI out, SM 20KM FC
F13-SD-1VT-S022F/1VTRB-S023F/TB	1 SDI in/2 SDI out,+1CH Video In Backup, SM 20KM FC
F13-SD-1VT2AT-S022F/1VRB2AR-S023F	1 SDI in/2 SDI out+2CH Analog Audio by CWDM, SM 20KM FC
F13-HD1VT-S022F/1VRB-S023F	1 HD-SDI in 2 HD SDI out, SM 20KM FC
F13-HD1VTR-S022F/1VTRB-S023F	Bi-Direction 1 HD-SDI in 2 HD SDI out, SM 20KM FC
F13-SD8VT-S022F/8VRB-S023F	8 SDI in 2x8 SDI out, SM 20KM FC

#### VIDEO Server

F8-SH13A-1VT-1ATR-1DTR-2CTR	1 Video 1 Audio 1 Data 2CC, USB&SD, H.264
F8-SH13A-4VT-4AT-1AR-1DTR-4CTR	4 Video 4 Audio T 1 Audio R 1 Data 4CC, USB&SD, H.264

#### 2.5G CWDM SERIES

FC-416	16 SLOTS 4U Chassis without power module
FC-4060A/D	Power module
FC-416M	SNMP Management module
F12-CWDM	1.25G/2.5G CWDM 1+1 Optic redundant converter module
F12-MUX	CWDM MUX/DEMUX Price/channel
FB100M-1.25GSFP 80KM	
FB155M-2.5GSFP 80KM	
FB1.25G SFP 850nm	
FB1.25G SFP 1310nm 10km	
FB2.5G SFP 1310nm 2km	

#### Unmanaged Media Converter -2 Fibers

F1-M32	MM 1310NM 2KM 10/100M AUTO
F1-S3022	SM 1310NM 20KM 10/100M AUTO
F1-S3042	SM 1310NM 40KM 10/100M AUTO
F1-S3082	SM 1310NM 80KM 10/100M AUTO
F1-S3123	SM 1550NM DFB 120KM 10/100M AUTO

#### Unmanaged Media Converter -WDM 1 Fibers

F1-W3042/3	SM 1310/1550NM 40KM 10/100M AUTO, Single strand fiber
F1-W3082/3	SM 1310/1550NM 80KM 10/100M AUTO, Single Strand fiber

#### SNMP/WEB Managed Media Converter -2 Fibers

F2-M32	MM 1310NM 2KM 10/100M AUTO
F2-S3042	SM 1310NM 40KM 10/100M AUTO
F2-S3082	SM 1310NM 80KM 10/100M AUTO
F2-S3123	SM 1550NM DFB 120KM 10/100M AUTO

#### SNMP/WEB Managed Media Converter -WDM 1 Fibers

F2-W3042/3	SM 1310/1550NM 40KM 10/100M AUTO, Single strand fiber
F2-W3082/3	SM 1310/1550NM 80KM 10/100M AUTO, Single Strand fiber

#### SNMP/WEB Managed Media Converter -CWDM 1 Fibers

F2-CWDM3042	SM CWDM 40KM 10/100M AUTO
F2-CWDM3082	SM CWDM 80KM 10/100M AUTO
CWDM1470-1610	CWDM1470-1610 FOR 1 CHANNEL UNIT

#### Media Converter Chassis

FC-216	16 Slots 2.5U 19" w 2 power racks, w/o management module & power
FC-216-M	Chassis management unit, SNMP/WEB, Remote manageable
FP-2100AD	100W power module, AC or DC

#### Gigabit Ethernet Media Converter

F1-M41	1000M Ethernet to Multimode 500M,850nm
F1-S4022	1000M Ethernet to Single mode 20km,1310nm
F1-S4082(New)	1000M Ethernet to Single mode 80km,1550nm
F2-M71	10/100/1000M Ethernet to Multimode 500M,850nm
F2-S7022	10/100/1000M Ethernet to Single mode 20km,1310nm
F2-S7082(New)	10/100/1000M Ethernet to Single mode 80km,1550nm
F2-BM71	Bandwidth Control 10/100/1000M Ethernet to Multimode 500M,850nm
F2-BS7022	Bandwidth Control 10/100/1000M Ethernet to Single mode 20km,1310nm
F2-BS7082(New)	Bandwidth Control 10/100/1000M Ethernet to Single mode 80km,1550nm
F6-2114	4 Ethernet port rating control to fiber, SNMP/WEB managed

F6-2114OPT1+1 4 Ethernet port rating control to 1+1 Optic redundant, SNMP/WEB managed

### Protocol Interface Converter

F4-51 10M to E1, 75/120ohm, Framed/unframed, SNMP Managed  
F4-56 E1 to V.35, 75/120ohm, SNMP Managed  
F5-4513 10/100M to 4E1, 75/120ohm, SNMP Managed  
F5-8543 10/100M to 8E1, 75/120ohm, SNMP Managed  
10/100M to 16E1, 75/120ohm, SNMP Managed  
F5-1518 E1 to Optical Ethernet Protocol Converter, Standalone with SNMP Management  
F5-4518 4E1 to Optical Ethernet Protocol Converter, Standalone with SNMP Management  
F5-8518 8E1 to Optical Ethernet Protocol Converter, Standalone with SNMP Management  
F4-535 PCM Add/Drop, E1 to framed E1 and Ethernet interface Converter

### TDM over IP

F5-2315 TDMoIP, 10/100M to 1E1  
F5-2325 TDMoIP, 10/100M to 2E1  
F5-2345 TDMoIP, 10/100M to 4E1

### G.SHDSL

F11-G13 G.SHDSL 10/100Mbps Ethernet Interface, 2 Wires, Standalone  
F11-G15 G.SHDSL E1 Interface, 2 Wires, Standalone  
F11-G16 G.SHDSL V.35 Interface, 2 Wires, Standalone  
F11-G1315 G.SHDSL 10/100Mbps Ethernet & E1 Interface, 2 Wires, Standalone  
F11-G1316 G.SHDSL 10/100Mbps & V.35 Interface, 2 Wires, Standalone  
F11-G1516 G.SHDSL E1 & V.35 Interface, 2 Wires, Standalone  
F11-G131516 G.SHDSL 10/100Mbps & E1 & V.35 Interface, 2 Wires, Standalone  
F11-G13/4 G.SHDSL 10/100Mbps Ethernet Interface, 4 Wires, Standalone  
F11-G15/4 G.SHDSL E1 Interface, 4 Wires, Standalone  
F11-G16/4 G.SHDSL V.35 Interface, 4 Wires, Standalone  
F11-G1315/4 G.SHDSL 10/100Mbps Ethernet & E1 Interface, 4 Wires, Standalone  
F11-G1316/4 G.SHDSL 10/100Mbps & V.35 Interface, 4 Wires, Standalone  
F11-G1516/4 G.SHDSL E1 & V.35 Interface, 4 Wires, Standalone  
F11-G131516/4 G.SHDSL 10/100Mbps & E1 & V.35 Interface, 4 Wires, Standalone

### Mode Converter

F3-B80412 Multimode to Singlemode, 850nm to 1310nm, 40KM  
F3-B80812 Multimode to Singlemode, 850nm to 1310nm, 80KM  
F3-B80422 Multimode to Singlemode, 1310nm to 1310nm, 40KM  
F3-B80822 Multimode to Singlemode, 1310nm to 1310nm, 80KM  
F3-S80622 Singlemode to Singlemode, 1310nm to 1310nm, 60KM  
F3-S80822 Singlemode to Singlemode, 1310nm to 1310nm, 80KM  
F3-B90212 Gigabit Mode Converter, Multimode to Singlemode, 850nm to 1310nm, 20KM  
F3-S90222 Gigabit Mode Converter, Singlemode to Singlemode, 1310nm to 1310nm, 20KM

### OPTIC MODEM

F9-E1xxxxxx E1 to Fiber 2km, 40km  
F9-V.35xxxxxx V.35 to Fiber 2KM, 40km  
F9-E1V35xxxxxx E1 or V.35 to Fiber 2km, 40km  
F9-4E1-04C 4E1 SM 1310NM 40KM SC Cost effective version, AC or DC  
F9-4E1-04C-S13/15 4E1 SM 1310/1550NM WDM 20KM SC Single strand fiber  
F9-120-04F 4E1 SM 1310NM 40KM FC, AC or DC, DATA, Phone, Management Option  
F9-240-04F 8E1 SM 1310NM 40KM FC  
F9-480-04F 16E1 SM 1310NM/1550NM 40KM FC  
F9-120-08F 4E1 SM 1310NM 80KM FC  
F9-240-08F 8E1 SM 1310NM 80KM FC  
F9-480-08F 16E1 SM 1310NM 80KM FC  
F9-120-04C-S13/15 4E1 SM 1310/1550NM 40KM FC Single strand fiber  
F9-240-04C-S13/15 8E1 SM 1310/1550NM 40KM FC Single strand fiber  
F9-120-04F23 4E1+100M SM 1310NM 40KM FC  
F9-240-04F23 8E1+100M SM 1310NM 40KM FC  
F9-480-04F23 16E1+100M SM 1310NM/1550NM 40KM FC

F9-120-08F23	4E1+100M SM 1310NM 80KM FC
F9-240-08F23	8E1+100M SM 1310NM 80KM FC
F9-120-04C23-S13/15	4E1+100M SM 1310/1550NM 40KM SC Single strand fiber
F9-240-04C23-S13/15	8E1+100M SM 1310/1550NM 40KM SC Single strand fiber
F9-120A2-04F23	4E1+2 10/100M to Fiber, 40km, SM1310nm,FC port,2 optical port,without ALS
F9-120A3-04F23	4E1+2 10/100M to Fiber, 40km, SM1310nm,FC port,1 optical port, ALS
F9-120A4-04F23	4E1+2 10/100M to Fiber, 40km, SM1310nm,FC port,2 optical port, ALS
F9-2402-04F23	8E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,2 optical port,without ALS
F9-2403-04F23	8E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,1 optical port, ALS
F9-2404-04F23	8E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,2 optical port,ALS
F9-4802-04F23	16E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,2 optical port,without ALS
F9-4803-04F23	16E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,1 optical port,ALS
F9-4804-04F23	16E1+2 10/100M to Fiber, 40km, SM1310nm, FC port,2 optical port,ALS
F9-120A2-04C23-S13/15	4E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm,SC port,2 optical port, WITHOUT ALS
F9-120A3-04C23-S13/15	4E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm,SC port,1 optical port, ALS
F9-120A4-04C23-S13/15	4E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm,SC port,2 optical port, ALS
F9-2402-04C23-S13/15	8E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm, SC port,2 optical port,WITHOUT ALS
F9-2403-04C23-S13/15	8E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm, SC port,1 optical port,ALS
F9-2404-04C23-S13/15	8E1+2 10/100M to 1 Fiber, WDM, 40km, SM1310nm, SC port,2 optical port,ALS

#### SDH 155M-STM-1 Standalone

F10-155S4/100M	Standalone STM-1 4E1 with 100M Ethernet, 1+1 Optic
F10-155S8/100M	Standalone STM-1 8E1 with 100M Ethernet, 1+1 Optic
F10-155S16	Standalone STM-1 16E1
F10-155S21	Standalone STM-1 21E1
F10-155S63	Standalone STM-1 63E1
200-207-4012	75Ohm 3M copper line

#### SDH 155-STM-1 Chassis

FC-613	SDH chassis
FC-613-M	Management module
F10-155-S042FM-2	Optical module, optical redundant
F10-155M8	8E1card
F10-155M21	21E1card
F10-155-8ETM	Ethernet card(8 Channel)
200-207-4012	75Ohm 3M copper line

#### Chassis and Power Module

FC-216A/D	16 SLOTS 2U Chassis for Media Converter w/o power
FC-416A/D	16 SLOTS 4U Chassis for Protocol Interface Converter,w/o power
FC-912A/D	12 SLOTS 6U Chassis for 4E1/8E1/16E1+100M LAN,w/o power
FP-XX	Chassis Power Module

Address : Perpa Ticaret Merkezi, A Blok No.516 Şişli/İstanbul | Tel : +90 212 3204030 | Fax : +90212 3200255 | e-mail : info@telkolink.com

[www.telkolink.com](http://www.telkolink.com)

© 2009 telcolink Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners. 617-000175 Rev. C

Haberleşme sistemlerinde **yüksek performansı** yakalayın

